



STATES ASSESSED STATES STATES

TO SELECT OF RESOLUTION TEST CHART.



REPORT DOCUMENTATION PAGE						
AD-A175 488	FIC	16 RESTRICTIVE MARKINGS				
•		3. DISTRIBUTION / AVAILABILITY OF REPORT				
	CTE		ment has been			
	C311960		nd sale; dist is unlimited.			
4. PERFORMING ORGANIZATION REPORT NUMBER	JER(S)	5. MONITORING	ORGANIZATION REI	PORT NUMBER	S)	
51	D					
6a NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL	7a. NAME OF MONITORING ORGANIZATION				
Regents of the U. of California	(If applicable) 4B557	Office of Naval Research				
6c. ADDRESS (City, State, and ZIP Code)		76. ADDRESS (Cit	ty, State, and ZIP Co	ode)		
University of California		Branch Office				
405 Hilgard Ave.	•	1030 East Green Street				
Los Angeles, CA 90024			CA 91106			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER				
Office of Naval Research	N00014	N00014-83-K-0341				
8c. ADDRESS (City, State, and ZIP Code)		10 SOURCE OF	FUNDING NUMBERS			
Chemistry Branch	,	PROGRAM		TASK	WORK UNIT	
Arlington, Virginia 22217		ELEMENT NO.	NO.	NO.	ACCESSION NO	
<u> </u>		<u> </u>	<u> </u>		<u> </u>	
11. TITLE (Include Security Classification) US			m		m	
Contribution of Dipolar Coupl Process at Long Distances; a	•		•		Transfer	
	bouble Resonance	and Laser L	ine Narrowing	Study		
12 PERSONAL AUTHOR(S) Morgan, Jack R.; Niederwald,	Hansiorg S.: Yar	ng, Chan-Lon	and El-Sayed	1, M. A.		
13a. TYPE OF REPORT 13b. TIME			ORT (Year, Month, D		COUNT	
Technical Report FROM_	то	December	16, 1986	29	1	
16. SUPPLEMENTARY NOTATION						
Acta Physica Polonica, in press.						
17. COSATI CODES		Continue on reverse if necessary and identify by block number)			ck number)	
FIELD GROUP SUB-GROUP	Energy Trans	sfer Disordered Solids				
	Double Resor	•				
<u></u>	Laser Line 1					
ABSTRACT (Continue on reverse if necessar	ry and identify by block r	number)	~ * ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	ianian ara	analugad	
The results of the ten	poral behavior of	i the phosph within the i	nhomogeneous	linewidth	of the 0.0	
when excited at different laser frequencies within the inhomogeneous linewidth of the 0,0 band of the singlet-triplet absorption of an orientationally disordered solid (1-bromo-4-						
chloronaphthalene) at 4.2 K. This enabled us to examine the triplet-triplet energy						
transfer probability as a function of the donor-acceptor distance by simply changing the						
laser frequency. The deviation from the expected temporal behavior for the electron						
exchange coupling mechanisms for triplet-triplet energy transfer in one dimension at long						
times or large donor acceptor distances is discussed in terms of either a contribution of						
dipolar coupling to the transfer mechanism or a change in the dimensionality of the system						
undergoing the transfer process. Results of the phosphorescence-microwave double resonance						
techniques could lend support to the possibility of a contribution of the dipolar coupling						
to the triplet-triplet transfer at large donor-acceptor distances (i.e., long wavelength laser excitation).						
raser evertation).						
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT 21. ABSTRACT SECURITY CLASSIFICATION					· · · · · · · · · · · · · · · · · · ·	
☑ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS UNCLASSIFIED						
22a NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE (Include Area Code) 22c. OFFICE SYMBOL				
M. A. EL-SAYED		(213) 825	1352	L		

OFFICE OF NAVAL RESEARCH

Contract N00014-83-K-0341 P00006

Technical Report No. 51

Contribution of Dipolar Coupling to the Mechanism of the Triplet-Triplet Energy Transfer Process at Long Distances; a Double Resonance and Laser Line Narrowing Study

STATES OF THE ST

by

Jack R. Morgan, Hansjorg S. Niederwald, Chan-Lon Yang and M. A. El-Sayed
Department of Chemistry and Biochemistry
University of California
Los Angeles, California 90024

Acta Physica Polonica, in press

December 16, 1986

Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale; its distribution is unlimited.

CONTRIBUTION OF DIPOLAR COUPLING TO THE MECHANISM OF THE TRIPLET-TRIPLET ENERGY TRANSFER PROCESS AT LONG DISTANCES;

A DOUBLE RESONANCE AND LASER LINE NARROWING STUDY

Jack R. Morgan, Hansjorg S. Niederwald, Chan-Lon Yang and M. A. El-Sayed


Department of Chemistry and Biochemistry University of California Los Angeles, California 90024 U.S.A.

ABSTRACT

The results of the temporal behavior of the phosphorescence emission are analyzed when excited at different laser frequencies within the inhomogeneous linewidth of the 0,0 band of the singlet-triplet absorption of an orientationally disordered solid (1-bromo-4-chloronaphthalene) at 4.2 K. This enabled us to examine the triplet-triplet energy transfer probability as a function of the donor-acceptor distance by simply changing the laser frequency. The deviation from the expected temporal behavior for the electron exchange coupling mechanisms for triplet-triplet energy transfer in one dimension at long times or large donor acceptor distances is discussed in terms of either a contribution of dipolar coupling to the transfer mechanism or a change in the dimensionality of the

THE CONTROL OF THE CO

^IMailing address: Department of Chemistry and Biochemistry,
Univ. of California, Los Angeles, CA 90024 USA



Dist

[†]Present address: Department of Chemistry, Univ. of Nevada, Reno

^{*}Present address: Firma Carl Zeiss, 7082, Oberkochen/Wurtt, FRG

system undergoing the transfer process. Results of the phosphorescence-microwave double resonance techniques could lend support to the possibility of a contribution of the dipolar coupling to the triplet-triplet transfer at large donor-acceptor distances (i.e., long wavelength laser excitation).

CONTRACTOR OF THE PROPERTY AND THE PROPERTY OF THE PROPERTY OF

1. INTRODUCTION

1.1. <u>Distance Dependence of the Triplet-Triplet Energy Transfer</u> Process

The energy transfer probability W(R) occurring via an electron exchange mechanism decreases exponentially [1,2] as the distance, R, between the donor and acceptor increases, i.e.:

WALL CONTINUE EXCRESSES TRAVERSES TOTOTERS BURGES TO THE FOLLOWS

equation:

 $\ln P(t) \sim -\ln^D t$ (2) where D is the dimensionality of the lattice on which the donors and acceptors reside. Experimentally, P(t) is proportional to the donor intensity, $I_D(t)$, where $I_D(t)$ is the donor phosphorescence intensity at time t after excitation.

By spin orbit coupling, the triplet state could acquire transition dipole moment. The energy transfer process can thus in principle occur as a result of the coupling between these transition moments for the donor and the acceptor. The probability of the energy transfer for this dipolar mechanism [1,2] has the following distance dependence:

where C' is a constant that depends on the size and orientations of the transition dipoles and the dimensionality of the system. The probability that the donor undergoing dipolar energy transfer remains excited at time t after a short excitation pulse is given by [3,4]:

$$\ln P(t) \sim -C t^{D/6} \dots \dots \dots \dots \dots (4)$$

where D is the dimensionality of the system and 6 is for a dipolar coupling. For 3-d dipolar interaction, $\ln P$ decreases with $t^{0.5}$.

It is expected that at short distances, where the overlap between electronic wavefunctions is large, the exchange coupling would be very strong and dominates the transfer mechanism for triplet-triplet energy transfer where the size of the transition moment is vanishingly small. However, due to the exponential rapid decrease in the exchange probability with distance, it is expected that at a certain distance, the dipolar mechanism begins to have a nonvanishing contribution. This would be manifested by deviation of the donor decay curve from that predicted for the temporal behavior resulting from an exchange coupling (equation 2). In order to carry out this study, we should use a system for which the donor-acceptor distance can be continuously changed while studying the donor decay. Below we discuss such a system.

1.2. A Convenient Method for Continuously Changing the Donor-Acceptor Distance

How can we change continuously the donor-acceptor distance? The solubility of ne chemical into another is usually limited. Isotope mixed crystals are a possibility. However, in these crystals one is studying donor-donor as well as donor-acceptor energy transfer simultaneously.

Lasers have both high intensity as well as sharp energy width to excite only a selected set of molecules having similar environment within a disordered pure solid, a solid with large distribution of different sites (molecules of the same chemical having different environments). These solids are characterized by a large inhomogeneous absorption linewidth. As shown in Fig. 1, excitation at v_{ij} with the laser makes molecules absorbing at v_4 energy donors. At low temperatures, e.g., 4.2 K, energy transport will only take place to molecules absorbing at equal or lower energy than $h\nu_4$. These molecules become the acceptors. Molecules absorbing at higher frequency than v_4 become the solvent molecules separating the donors from the acceptors. Thus by increasing the exciting laser frequency of the laser, the density of the acceptor molecules increases and the average donor-acceptor distance decreases. Thus if one studies the decay characteristics of the donor emission (those excited directly from the laser) as a function of the exciting laser frequency (i.e., the donor-acceptor distance), the

Fig. 1

distance at which the triplet-triplet energy transfer switches its mechanism might be found.

1.3 1-bromo-4-chloronaphthalene (BCN), an Ideal System

The T₁-S₀ transition of BCN with a 0,0 band at ~ 20,200 cm⁻¹ has an inhomogeneous width on the order of 100 cm⁻¹. This linewidth is about two orders of magnitude larger than the linewidth observed for the corresponding transition in 1,4-dichloronaphthalene (DCN) and 1,4-dibromonaphthalene (DBN), suggesting that the width in BCN is due to the static orientational disorder in the halogen positions in the crystal [7]. Comparative studies of the crystal structures [8] and Raman spectra [9] of the 1,4-dihalonaphthalene series show that the one-dimensional stacking feature and intermolecular interactions in BCN are similar to DBN for which one-dimensional exchange-type triplet excitons have been observed [10].

2. RESULTS [13,15]

Fig. 2a demonstrates that spectral diffusion [13] of the

2.1. Spectral Diffusion Due to Energy Transfer

 $T_1 \rightarrow S_0$ transition energy occurs in this orientationally disordered material. The band shape of the first vibronic band was monitored as a function of delay time. The spectra displayed were obtained by exciting a site on the low-energy side of the $S_0 \rightarrow T_1$ absorption profile. The figure shows that as the

delay time increases, the resonant-type emission decreases

Fig. 2

PROPERTY IN PROPERTY DISCUSSION

SALVONAL RESERVED BYZYZZZZ BYZYZZZZ BY

in intensity while emission from low energy acceptors (the traps) increases in intensity. This figure also shows the same spectra recorded at two different sample temperatures. The phosphorescence spectra obtained under identical conditions, but at two different sample temperatures (the top and bottom spectra in Fig. 2a), clearly indicate that the transfer rate is temperature dependent and, thus, phonon assisted [14].

The results of the effect of site-selective excitation [13] on the rate of spectral diffusion of the $T_1 - S_0$ energy is shown in Fig. 2b. In each case the spectrum is sampled after a 10-us delay, using a 50-us sampling time. In order to minimize interference with stray light due to the laser, we monitored the first vibronic band profile of the emission. It can be seen that the observed emission profile is very much dependent on the excitation energy. As the low-energy sites are excited, a relatively narrow resonant emission is observed, indicating a transfer rate slower than the sampling time. On the other hand, upon the excitation of higher energy sites, the emission profile is broadened indicating a faster transfer time to a broader distribution of the lowenergy sites. These observations are suggestive of a transfer rate which at 4.2 K is dependent on the donor site energy (i.e., on the concentration of the acceptor's molecules).

2001 P202222 COSCOSOF RESISSION REPORTED RESISSION REPORTED RESISSION PROFESSION PROFESSION RESISSION RESISSION RESISSION REPORTED RESISSION REPORTED RESISSION REPORTED REPORTED RESISSION REPORTED REPO

Jug 3.

2.2. Fit of Decay to Exchange Mechanism [15]

Fig. 3a shows the $\ln I(t)$ vs. $\ln t$ fit of the 1-d (expected from the crystal structure) exchange mechanism. An excellent fit for λ = 4940 Å (bottom decay) is observed. However as the wavelength increases, deviation at long times is seen. The fraction of the total decay that can be accounted for by the straight line exchange fit decreases as λ increases.

Fig. 3b shows the results of attempting to fit the portion that did not fit the exchange equation in Fig. 3a to the 3-d dipolar fit. Fig. 3b suggests that at long time and wavelength (long donor-acceptor distance), a 3-d mechanism could account for the data.

2.3. Possibility of Dimensionality Changes at Long Time or Low Acceptor Densities

While these results [15] might suggest a switching of the mechanism at a few percent of acceptor concentration (> 10 Å for donor-acceptor separation), the possibility of switching the dimensionality from one to greater than one could equally be an explanation for the observed deviation from the 1-d exchange equation. We need an equation for the temporal behavior of P(t) for transfer on lattices having greater dimensionality than unity for the exchange mechanism. Below, we derive such an equation.

Consider the system of the acceptor randomly distributed

with the probability, C_A. Klafter and Blumen [16] extended the results obtained on a regular lattice to the self-similar structures by replacing the density of randomly distributed acceptor sites by the fractal behavior:

the time dependence of the donor excitation probability P(t) then becomes

$$ln P(t) \sim - C_A B G_D(Z) \qquad (6)$$

where B is the time independence constant, and $\boldsymbol{G}_{\boldsymbol{D}}$ is defined as

$$G_{D}(Z) = D \int \{1 - \exp(-Z \exp(-Y))\}Y^{D-1} dY$$
. (7)

where $Z = t/\tau$ and $Y = \gamma R$. Equation 7 can be expressed as another equivalent form [3b],

$$G_D(Z) = \int \exp(-X) (\ln Z - \ln X)^D dX$$

where $X = \exp(Y)$.

We can expand $(\ln Z - \ln X)^D$ by the power expansion for non-integer D,

$$(\ln z - \ln x)^D = \ln^D z \left\{1 - D \frac{\ln x}{\ln z} + \frac{D(D-1)}{2} \left(\frac{\ln x}{\ln z}\right)^2 + \ldots\right\}.$$
 (8)

For non-integer D, D dimensional self-similar structure embedded in the d dimensional Euclidean space, equation 8 becomes

$$G_D(Z) = \ln^D Z \int \exp(-X) dX - D \ln^{D-1} Z \int \exp(-X) \ln X dX$$

+ $(D(D-1)/2) \ln^{D-2} Z \int \exp(-X) \ln^2 X dX - \dots$ (9)

In the case of BCN, at low acceptor concentration (or long time), the time scale for which the transfer is studied in the time-resolved phosphorescence experiment (micro-millisecond) is much longer than the nearest neighbor transfer time T(~ picosecond). Thus (ln Z) becomes about 20. Because of the highly anisotropic property of di-halo-naphthalene, the value of γ d in three dimension Euclidean space is smaller than the one dimensional case, the value of (ln X) is also quite small. Then, the higher order terms in the power expansion can be neglected, and equation 9 can now have the simple form:

Fig. 4 shows the fit of the temporal behavior of the emission excited at 4943 and 4946 Å to equations (2) (exchange) and (4) (dipolar) for different dimensionalities. Both these results and others at other wavelengths [18] suggest that a fit for the exchange mechanism can be obtained for D = 2.3 for all the decay that deviated from the one dimensional behavior over the whole decay period. This is not the case for the dipolar mechanism.

2.4. Microwave Phosphorescence Double Resonance Experiments [16]

The triplet state of halogenated naphthalenes has three spin levels separated by fractions of cm⁻¹, even in the absence of magnetic field. This is the zerofield splitting which results from the anisotropic spin-spin and spin orbit

J. ig. 4

THE POLICE SANGES OF THE PROPERTY OF THE PROPE

dipolar interactions [19]. Because of the molecular plane of symmetry, only two levels of the π, π^* excited triplet state of BCN are radiative (i.e., the electronic transitions from these levels to the ground state carry a transition dipole moment) and one level is dark. It is thus expected that molecules in the radiative levels will be the ones that can transfer their energy via a dipolar (as well as exchange) mechanism. The dark zerofield, on the other hand, can transfer its triplet excitation only via an exchange mechanism. It would thus be interesting to test if there is any difference between the transfer rates of molecules in the radiative and in those in the dark levels of triplet molecules having singlet-triplet energies at the lowest energy end of the absorption spectrum (i.e., separated from acceptors by large distances). We need to compare the change in the site energy distribution of molecules having triplet energy at the trap emission energies and occupying the radiative zerofield levels with those occupying the dark zerofield levels 70 ms after turning off the excitation.

The determination of the change in the site energy distribution due to energy transfer of the <u>radiative levels</u> in 70 ms is easy. We first record the steady state trap emission. Then we simply turn off the steady state excitation source and record the spectrum again 70 ms later. This is shown in Fig. 5, curve d.

Jig.5

The study of the change in the site energy distribution of molecules in the dark levels was made by phosphorescence microwave double resonance techniques [6]. If the steady state excitation is turned off for 70 ms, the population of the radiative levels would decay mostly by radiative decay and to a smaller extent by energy transfer (as seen from the shift of curve (d) as compared to the c.w. distribution (curve a). Molecules in the dark level can only decay in 70 ms by the less probable energy transfer process (occurring at the large distances we are studying) and perhaps by spin lattice relaxation processes. If after 70 ms, a pulse of microwave of the appropriate frequency is turned on, a certain fraction of the molecules in the dark level is transferred to the radiative level and a pulse of light is observed. The intensity of this light pulse is proportional to the population of the dark level having an energy equal to that of the emitted radiation (since the zerofield splitting is very small as compared to the singlet-triplet energy separation). If this is done and the intensity of the pulse of light emitted at the different trap emission wavelength range is determined, the site energy distribution of molecules in the dark zerofield level after 70 ms from turning off the excitation can be determined.

Charles and the second

Fig. 5 shows a comparison of the site energy distribution of molecules in the dark (b) and in the radiative (d) levels

in the 0,0 region of the trap emission spectrum after 70 ms delay as compared to the steady state emission (a). The distribution of the radiative level shifts more to lower energy than that for the dark level, suggesting a more probable energy transfer for molecules in the radiative level. This strongly suggests the presence of a dipolar contribution at these relatively long distances.

2.5. Site Dependent Spin Lattice Relaxation Rates:

Let us examine the possibility of explaining the results of Fig. 5 by invoking the possibility of the variation of the spin lattice relaxation with site energy. Under c.w. excitation, the microwave signal is found to be very weak, suggesting equal population of the dark and radiative zerofield levels at zero delay. Let us assume that energy transfer does not occur. In order to explain the red shift in the maximum of the 0,0 band after 70 ms delay, one has to conclude that the rate of the spin lattice relaxation increases as the site energy increases. If this is the case, then the distribution of molecules in the dark level should shift to the blue. This is not found to be the case. Of course, a combination of energy transfer via a three dimension exchange mechanism and site dependent spin lattice relaxation rate could account for the results in Fig. 5. The fact that the 130 ms delay (Fig. 5c) showed the same site energy distribution for the dark level as that for 70 ms might suggest that the observed population is not determined by the spin lattice relaxation and that the exchange mechanism is probably frozen at these long distances.

3. ACKNOWLEDGMENT

The support of the Office of Naval Research is gratefully acknowledged.

REFERENCES

- [1] T. Forster, Z. Naturforsch. A 4, 321 (1949).
- [2] D. L. Dexter, J. Chem. Phys. 21, 836 (1953).
- [3] (a) M. Inokuti, F. Hirayama, J. Chem. Phys. 43, 1978 (1965).
 (b) A. Blumen, J. Chem. Phys. 72, 2632 (1980).
- [4] A. Blumen, J. Chem. Phys. 71, 4696 (1979).

224 N3N32 2020 2242222 CCCSSSSS

- [5] R. M. Hochstrasser, J. D. Whiteman, <u>J. Chem. Phys. 56</u>, 5945 (1972).
- [6] J. Schmidt, D. A. Antheumis, J. M. van der Waals, Mol. Phys. 22, 1 (1971).
- [7] J. C. Bellows, P. N. Prasad, <u>J. Phys. Chem.</u> <u>86</u>, 328 (1982).
- [8] J. C. Bellows, E. D. Stevens, P. N. Prasad, Acta

 Crystallogr. Sect. B 34, 3256 (1978).
- [9] J. C. Bellows, P. N. Prasad, <u>J. Chem. Phys.</u> 67, 5802 (1978).
- [10] R. M. Hochstrasser, J. D. Whiteman, <u>J. Chem. Phys.</u>
 56, 5945 (1972).
- [11] P. N. Prasad, J. R. Morgan, M. A. El-Sayed, <u>J. Phys.</u>
 Chem. 85, 3569 (1981).
- [12] J. C. Bellows, P. N. Prasad, <u>J. Chem. Phys. 67</u>, 5802 (1979).
- [13] P. N. Prasad, J. R. Morgan, M. A. El-Sayed, <u>J. Phys.</u>
 <u>Chem.</u> 85, 3569 (1981).

- [14] T. Holstein, S. K. Lyo, R. Orbach, Phys. Rev. Lett. 36, 891 (1976).
- [15] J. R. Morgan, M. A. El-Sayed, <u>J. Phys. Chem. 87</u>, 2178 (1983).
- [16] J. Klafter, A. Blumen, <u>J. Chem. Phys.</u> 80, 875 (1984).
- [17] H. S. Niederwald, M. A. El-Sayed, <u>J. Phys. Chem.</u> 88, 5775 (1984).
- [18] Chan-Lon Yang, Ph.D. dissertation, UCLA, 1986.
- [19] See: S. P. McGlynn, T. Azumi, M. Kinoshita,
 "Molecular Spectroscopy of the Triplet State,"
 Prentice Hall, Englewood Cliffs, N.J. (1969). Also,
 S. K. Lower, M. A. El-Sayed, Chem. Rev. 66, 199 (1966);
 M. A. El-Sayed, Accounts of Chemical Research 4, 23
 (1971).

Captions for Figures

Fig. 1. The use of laser line narrowing techniques to excite donors in a selected environment absorbing at frequency v_i . At low temperatures, energy transfer can only occur to the acceptor molecules absorbing at frequency v_i . Molecules absorbing at frequency v_i do not accept the excitation energy and act as the solvent which separates the donors from the acceptors. Thus by changing v_i , the average distance (the rate and mechanism of the transfer) between donors and acceptors can be varied.

THE REPORTED PROPERTY WASHINGTON BURNING THE CONTROL

Fig. 2a. Spectral diffusion of singlet-triplet excitation energy in an "amorphalline" solid at 4.2 K obtained with time-resolved phosphorescence line-narrowing techniques [11]. The system is 1-bromo-4-chloro-naphthalene excited at 4943 Å. The top three spectra are of the 0,0-321-cm⁻¹ vibronic band of the phosphorescence emission recorded at different delay times after the laser pulsed excitation with a 50-µs sample time. The bottom spectrum illustrates the effect of temperature on the rate of spectral diffusion within the inhomogeneous profile of the 0,0 absorption band and detected at the 0,0-321 cm⁻¹ emission band.

- Fig. 2b. The dependence of the spectral diffusion rate of the singlet-triplet excitation on the donor site energy in 1-bromo-4-chloronaphthalene at 4.2 K [11]. The spectral intensity change of the 0,0-321-cm⁻¹ band of the T₁ + S₀ phosphorescence is monitored with a 10 µs delay by means of a 50-µs sampling time following pulsed laser excitation at different wavelength (i.e., different donor energies) within the inhomogeneously broadened 0,0 band of the T₁ + S₀ absorption. The results show that the ratio of the line-narrowed (donor) phosphorescence to the lower energy broad emitting traps decreases as the donor (excitation) energy increases, suggesting an increase in the spectral diffusion rate.
- Fig. 3a. The fit of the early portion of the decay of the triplet excitation due to triplet-triplet energy transfer to an exchange mechanism for different excitation wavelengths (4947, 4943, 4942, and 4940 Å from top to bottom, respectively) within the 0,0 band of the T₁-S₀ transition in 1-bromo-4-chloro-naphthalene at 4.2 K [15]. The range of the fit increases as the excitation wavelength decreases, i.e., as the acceptor concentration increases.

Fig. 3b. The fit of the long time portion of the decay of the triplet excitation of the 0,0 band of the T₁-S₀ transition of 1-bromo-4-chloronaphthalene at 4.2 K due to three-dimensional dipolar mechanism for the excitation wavelengths given in Fig. 3a [15]. The range of the fit is better at longer excitation wavelengths, i.e., at low acceptor concentrations.

RECEIVED TO STAND TO STAND STANDS

Caracter assessment for the property of

- Fig. 4. Testing for change in dimensionality by attempting to fit the decay of the 0,0-321 cm⁻¹ band excited at 4943 and 4946 Å to exchange (left) and dipolar (right) equations (equations 2 and 4, respectively) with different dimensionalities D. For all the four figures D = 2.0, 2.3, 2.5, 2.7 and 3.0 from top to bottom.
- Fig. 5. Inhomogeneous lineshape of the 0,0 phosphorescence transition at 1.8 K, taken under four different conditions [16]. Curve a shows the c.w. intensity distribution; curves b and c show the height of the leading edge of the MIDP signal at 1.05 GHz, which is proportional to the population of the dark level, after 70-ms (b) and 130-ms (c) delay time. Curve d is the 0,0 band of the emission spectrum recorded 70 ms after excitation and represents the population of the radiative level. With the red shift,


curves b, c, and d also get slightly narrower and asymmetric.

As parts b and d show, the distribution of the radiative level


(lifetime 50 ms) at 70 ms has relaxed more to lower energies

than the distribution of the dark level (lifetime 140 ms) at


the same delay time.




ggreet moore controls bostones appointed (the control section sections) accesses by 2222 decreed model




Resear recession recorded becomes and the second recorded and second recorded becomes and the second recorded becomes






Transfer transfers abobbles and colors with colors and colors.

このことには、日本ののでは、日本のできないのは、日本のできない。





देवदर्ग अध्यक्ष्य एक्ट्रदक्ष्य

TO SERVICE CONTRACT CONTRACT OF THE PROPERTY O

01/1113/86/2

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	No. Copies		No. Copies
Office of Naval Research Attn: Code 1113 800 N. Quincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 50C Crane, Indiana 47522-5050	1	Naval Weapons Center Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko, Code L52 Port Hueneme, California 93401	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 2770	1 9
DTNSRDC Attn: Dr. H. Singerman Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 1911	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1

TECHNICAL REPORT DISTRIBUTION LIST, 051A

Dr. M. A. El-Sayed Department of Chemistry University of California Los Angeles, California 90024

Dr. E. R. Bernstein Department of Chemistry Colorado State University Fort Collins, Colorado 80521

Dr. J. R. MacDonald Chemistry Division Naval Research Laboratory Code 6110 Washington, D.C. 20375-5000

Dr. G. B. Schuster Chemistry Department University of Illinois Urbana, Illinois 61801

Dr. J.B. Halpern Department of Chemistry Howard University Washington, D.C. 20059

CONTROL OF CONTROL OF

Or. M. S. Wrighton
Department of Chemistry
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Dr. A. Paul Schaap Department of Chemistry Wayne State University Detroit, Michigan 49207

Dr. W.E. Moerner I.B.M. Corporation Almaden Research Center 650 Harry Rd. San Jose, California 95120-6099

Dr. A.B.P. Lever
Department of Chemistry
York University
Dcwnsview, Ontario
CANADA M3J1P3

Dr. John Cooper Code 6173 Naval Research Laboratory Washington, D.C. 20375-5000 Dr. George E. Walrafen Department of Chemistry Howard University Washington, D.C. 20059

Dr. Joe Brandelik AFWAL/AADO-1 Wright Patterson AFB Fairborn, Ohio 45433

Dr. Carmen Ortiz Consejo Superior de Investigaciones Cientificas Serrano 121 Madrid 6, SPAIN

Dr. John J. Wright
Physics Department
University of New Hampshire
Durham, New Hampshire 03824

Dr. Kent R. Wilson Chemistry Department University of California La Jolla, California 92093

Dr. G. A. Crosby Chemistry Department Washington State University Pullman, Washington 99164

Dr. Theodore Pavlopoulos NOSC Code 521 San Diego, California 91232

THE PROPERTY OF THE PROPERTY OF THE PARTY OF